10/024,215 Examiner Tung Vo	OAMI, RYOMA Art Unit
Examiner	
Tung Vo	l l
Tung vo	2621
(OR REMAINS) CLOSED in or other appropriate commu GHTS. This application is s	th the correspondence address in this application. If not included unication will be mailed in due course. THIS subject to withdrawal from issue at the initiative
<u>22/06</u> .	
enumbered as 1-22, respect	ively).
been received in Applicatio	
of this communication to file ENT of this application.	a reply complying with the requirements
itted. Note the attached EXA es reason(s) why the oath or	AMINER'S AMENDMENT or NOTICE OF declaration is deficient.
t be submitted.	
on's Patent Drawing Review	v (PTO-948) attached
•	·
s Amendment / Comment or	in the Office action of
.84(c)) should be written on the header according to 37 CF	ne drawings in the front (not the back) of R 1.121(d).
SIT OF BIOLOGICAL MATE FOR THE DEPOSIT OF BIO	ERIAL must be submitted. Note the DLOGICAL MATERIAL.
5. Notice of Inf	formal Patent Application
<u> </u>	• •
Paper No./	Mail Date Amendment/Comment
8. ⊠ Examiner's 9. ☐ Other	Statement of Reasons for Allowance Tung Vo Primary Examiner Art Unit: 2621
	or other appropriate communication is a second MPEP 1308. 22/06. 22/06. 22/06. 22/06. 22/06. 22/06. 23 been received. 24 been received. 25 been received in Application cuments have been received. 26 streason(s) why the oath or set be submitted. 27 son's Patent Drawing Review. 28 Amendment / Comment or set be a submitted. 29 son's Patent Drawing Review. 20 streason(s) why the oath or set be submitted. 20 son's Patent Drawing Review. 21 stream of the header according to 37 CF set of BIOLOGICAL MATE FOR THE DEPOSIT OF BIOLOGICAL MATE FOR THE DEPOSIT OF BIOLOGICAL MATE STATE OF

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In claim 23, line 1, delete "A program for conducting a computer to execute the moving picture" and insert - A computer program stored in a computer readable medium executed by a computer to perform the moving picture--;

In claim 24, line 1, delete "A program for conducting a computer to execute the moving picture" and insert - A computer program stored in a computer readable medium executed by a computer to perform the moving picture--.

Claims 25-32 are cancelled.

2. The following is an examiner's statement of reasons for allowance: see the remarks filed 08/22/06

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tung Vo whose telephone number is 571-272-7340. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on 571-272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Primary Examiner
Art Unit 2621